EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	98	"709"/\$.ccls. and ((time with available) with log) and ((@ad<= "20010122" @rlad<= "20010122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 12:03
L2	21	(monitor\$3 with enterprise\$3) and (request\$3 with monitor\$4 near1 (servers agents))and (@ad<="20010122" @rlad<="20010122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 12:03
L3	21	(monitor\$3 with enterprise\$3) and (request\$3 with monitor\$4 near1 (servers agents))and (@ad<="20010122" @rlad<="20010122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 12:03
L4	534	(request\$3 with monitor\$4 near1 (servers agents)) and (@ad<="20010122" @rlad<="20010122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 12:04
L5	84	(request\$3 with monitor\$4 near1 (servers agents)).ab. and (@ad<="20010122" @rlad<="20010122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 12:04
L6	14	"709"/\$.ccls. and (request\$3 with monitor\$4 near1 (servers agents)).ab. and ((@ad<="20010122" @rlad<="20010122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 12:04
L7	178	(response near1 time with log) and (@ad<="20010122" @rlad<="20010122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 12:04
L8	42	"709"/\$.ccls. and (response near1 time with log)and (@ad<= "20010122" @rlad<= "20010122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 12:04
L9	9	(network with monitor\$3 with (latency time)) and (correction with repair\$3) and (@ad<="20010122" @rlad<="20010122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 12:05
L10	1324	(network with monitor\$3 with (latency time)).ab. and (@ad<="20010122" @rlad<="20010122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 12:05

L11	91	"709"/\$.ccis. and (network with monitor\$3 with (latency time)). ab. and (@ad<="20010122" @rlad<="20010122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 12:05
L12	11	"709"/\$.ccls. and (network with monitor\$3 with (latency time)).ti. and (@ad<="20010122" @rlad<="20010122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 12:06
L13	41	((filter\$3 with (match\$3 correlat \$3) with process\$1) same monitor \$3) and (@ad<="20010122" @rlad<="20010122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 12:06
L14	7	(monitor\$ with format\$4 with filter \$3) same (network near2 monitor \$4) and (@ad<="20010122" @rlad<="20010122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 12:07
L15	277	(monitor\$ with format\$4) same (network near2 monitor\$4) and (@ad<= "20010122" @rlad<= "20010122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 12:07
L16	71	"709"/\$.cols. and (monitor\$ with format\$4) same (network near2 monitor\$4) and (@ad<="20010122" @rlad<="20010122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 12:07
L17	85	((monitor\$ with (servers) and network)).ab. and (tim\$3 with logs) and (@ad< = "20010122" @rlad< = "20010122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 12:07
L18	38	"709"/\$.ccls. and ((monitor\$ with (servers) and network)).ab. and (tim\$3 with logs) and (@ad<="20010122" @rlad<="20010122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 12:08
L19	148	(monitor\$ near1 (servers host\$3 agent\$1)) and enterpris\$3 and trail\$3 and (@ad<= "20010122" @rlad<= "20010122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 12:08
L20	5	((monitor\$ adj2(servers) and network)).ab. and (tim\$3 with logs) and (@ad< = "20010122" @rlad< = "20010122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 12:08
L21	24	((monitor\$ near4 (servers host\$3 agent\$1))).ab. and (network with monitor\$3) and trail\$3 and (@ad<="20010122") @rlad<="20010122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 12:09

L22	45	((monitor\$ near4 (servers host\$3 agent\$1))).ab. and trail\$3 and (@ad<="20010122") @rlad<="20010122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 12:09
L23	13	(network with monitor\$3).ab. and (time near3 logs) and trail\$3 and (@ad<="20010122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 12:09
L24	230	(network with monitor\$3) and (time near3 logs) and trail\$3 and (@ad<= "20010122" @rlad<= "20010122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 12:09
L25	76	"709"/\$.ccls. and (network with monitor\$3) and (time near3 logs) and trail\$3 and (@ad<="20010122" @rlad<="20010122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 12:10
L26	109	(monitor\$3 adj2 (gateway\$1 router\$1)) with ((client\$1 user\$1 device\$3)) and (@ad<="20010122" @rlad<="20010122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 12:10
L27	16	(application near2 servers) with (proxy gateway) with monitor\$4 with (users stations clients devices) and (@ad<="20010122" @rlad<="20010122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 12:11
L28	75	(monitor\$3 near4 (gateway\$1 router\$1 server\$1)) with (connect \$5 near2 (client\$1 user\$1 device \$3)).ab. and (@ad< ="20010122" @rlad< = "20010122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 12:11
L29	24	((application near2 servers) with connect\$3 with (clients workstations)) with monitor\$4 and (@ad<="20010122" @rlad<="20010122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 12:11
L30	85	(servers) with (proxy gateway) with monitor\$4 same (connect\$3 with (clients devices users)) and (@ad<="20010122" @rlad<="20010122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 12:12
L31	24	((application near2 servers) with connect\$3 with (clients workstations)) with monitor\$4 and (@ad<="20010122" @rlad<="20010122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 12:12
L32	7	709/224 and (percentage with time).ab. and (@ad<= "20010122" @rlad<= "20010122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 12:12

L33	44	"709"/223 and (available with time).ab. and (@ad<="20010122" @rlad<="20010122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 12:12
L34	6	709"/\$.cxls. and ((monitor\$4 measur\$4)with (response\$3 near2 time) and available).ab. and ((@ad-="20010122") @rlad<="20010122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 12:13
L35	0	(JOHNS-WILLIAM-M).in. and (@ad<="20010122" @rlad<="20010122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 12:18
L36	1	(JOHNS-WILLIAM-M).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 12:18
L37	1	JOHNS-WILLIAM-M.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 12:18
L38	1	(LINDAU-BRIAN-G).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 12:18
S1	0	("20030133417").PN.	USPAT; USOCR	OR	OFF	2006/07/06 07:08
S2	1	("20030133417").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/27 15:16
83	1	("6754664").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/27 15:20
S4	1	("5696895").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/27 15:21
S5	1	("20020049815").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/27 16:21
S6	1	("6917979").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/27 16:22
S7	1	("6904449").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/27 16:37
S8	1	("6581102").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/27 16:51
S9	1	("6052785").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/27 17:11
S10	1	("5919611").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/27 17:25
S11	1	("20030018694").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/27 17:30

S12	1	("20020042721").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/27 17:38
S13	1	("20020099945").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/27 17:50
S14	1	("20030065737").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/27 17:55
S15	1	("20030177261").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/27 18:19
S16	1	("20020138758").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/27 18:19
S17	0	709/223. "ccls." and @ad<= "20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/28 17:50
S18	5002	709/223 and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/28 17:50
S19	1025	709/223 and (time with available) and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/28 17:50
S20	19	709/223 and ((time with available) with log) and @ad< = "20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/28 17:51
S21	0	709/223 and ((time with available with percentages) with log) and @ad< = "20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/28 17:51
S22	5	709/223 and ((time with available with percentages) same log) and @ad< = "20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/28 17:54
S23	12	709/223 and ((time with available with percentages) and log) and @ad< = "20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/28 17:58
S24	0	"709"/\$.ccls and ((time with available with percentages).ab. and log) and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/28 17:58

S25	0	"709"/\$.ccls and (time with available with percentages).ab. and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/28 17:58
S26	0	"709"/\$.ccls and (monitor\$3 with time).ab. and @ad<= "20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 14:59
S27	48220	(monitor\$3 with time) ab. and @ad<= "20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/28 17:59
S28	805	709/223 and (time).ab. and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/28 17:59
S29	3	709/223 and (percentage with time).ab. and @ad<= "20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/28 18:04
S30	6	709/224 and (percentage with time).ab. and @ad<= "20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/28 18:09
S31	1	709/225 and (percentage with time).ab. and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/28 18:10
S32	10	"709"/\$ and (percentage with time).ab. and @ad<= "20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/28 18:13
S33	190	"709"/\$ and (available with time). ab. and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/28 18:13
S34	33	"709"/223 and (available with time).ab. and @ad<= "20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/28 18:13
S35	2	("0754664").PN.	USPAT; USOCR	OR	OFF	2006/07/06 07:08
S36	1	("6754664").PN.	USPAT; USOCR	OR	OFF	2006/07/06 09:53

S37	7511	(monitor\$4 measur\$4)with (response\$3 near2 time) and @ad< = "20010122"	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 09:55
S38	313	((monitor\$4 measur\$4)with (response\$3 near2 time)).ti. and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 09:55
S39	3	"709"/\$.cds. and ((monitor\$4 measur\$4)with (response\$3 near2 time)).ti. and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 10:34
S40	40	"709"/\$.cds. and ((monitor\$4 measur\$4)with (response\$3 near2 time)).ab. and @ad<= "20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 10:05
S41	6	"709"/\$.cds. and ((monitor\$4 measur\$4)with (response\$3 near2 time) and available).ab. and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 10:05
S42	1	("6141705").PN.	USPAT; USOCR	OR	OFF	2006/07/06 10:36
S43	1	(("6904519") or ("20050182854")).PN.	USPAT; USOCR	OR	OFF	2006/07/06 10:37
S44	1	("20050182854").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/06 15:10
S45	1	("5459837").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/06 15:16
S46	90	(consolidat\$3 with log) and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:17
S47	1	(monitor\$3 with response near1 time) and (consolidat\$3 with log) and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:51
S48	1	("20030133417").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/06 16:15
S49	444	(response with time with log)	USPAT	OR	OFF	2006/07/06 16:15
S50	127	(response near1 time with log)	USPAT	OR	OFF	2006/07/06 16:15
S51	141	(response near1 time with log) and @ad<= "20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 16:15

S52	20	(response near1 time with log) and histor\$3 and @ad<= "20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 16:19
S53	1	((measur\$3 monitor\$3) with response near1 time with log) and histor\$3 and @ad<= "20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 16:20
S54	6	((measur\$3 monitor\$3) with response near3 time with log) and histor\$3 and @ad<= "20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 16:26
S55	1	"20030133417".pn. and (user customer client)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 16:41
S56	12615	(application near2 servers) and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 16:42
S57	404	(application near2 servers) with proxy and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 16:42
S58	202	(application near2 servers) with proxy with (clients workstations) and @ad< = "20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 16:43
S59	33	(application near2 servers) with proxy with connect\$3 with (clients workstations) and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 16:48
S60	18	((application near2 servers) with proxy with connect\$3 with (clients workstations)) and monitor\$4 and @ad<= "20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 16:53
S61	0	((application near2 servers) with proxy with connect\$3 with (clients workstations)) with monitor\$4 and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 16:53
S62	1	((application near2 servers) with proxy with connect\$3 with (clients workstations)) same monitor\$4 and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 16:55

S63	42	((application near2 servers) with connect\$3 with (clients workstations)) same monitor\$4 and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 16:56
S64	530	((application near2 servers) with connect\$3 with (clients workstations)) and monitor\$4 and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 16:56
S65	16	((application near2 servers) with connect\$3 with (clients workstations)) with monitor\$4 and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 16:58
S66	32	(application near2 servers) with (proxy gateway) with monitor\$4 and @ad<= "20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 16:59
S67	4	(application near2 servers) with (proxy gateway) with monitor\$4 with (users stations clients devices) and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 17:04
S68	0	(application near2 servers) with (proxy gateway) with monitor\$4 same (connect\$3 with (clients devices users)) and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 08:51
S69	36	(servers) with (proxy gateway) with monitor\$4 same (connect\$3 with (clients devices users)) and @ad<= "20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 17:13
S70	2	(("5696895") or ("20020049815") or ("6405250")).PN.	USPAT; USOCR	OR	OFF	2006/07/07 09:23
S71	445	monitor\$3 with available with (gateway\$1 router\$1 server\$1) and @ad<= "20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/07 09:24
S72	174	monitor\$3 with available near3 (gateway\$1 router\$1 server\$1) and @ad<= "20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 09:25
S73	1	monitor\$3 with (available near3 (gateway\$1 router\$1 server\$1)) with (connect\$5 near2 (client\$1 user\$1 device\$3)) and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 09:38

S74	26	monitor\$3 with (available with (gateway\$1 router\$1 server\$1)) with (connect\$5 near2 (client\$1 user\$1 device\$3)) and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 09:43
S75	226	(monitor\$3 near4 (gateway\$1 router\$1 server\$1)) with (connect \$5 near2 (client\$1 user\$1 device \$3)) and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 09:44
S76	74	(monitor\$3 near4 (gateway\$1 router\$1 server\$1)) with (connect \$5 near2 (clien1\$1 user\$1 device \$3)).ab. and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 09:50
S77	57	(monitor\$3 adj2 (gateway\$1 router\$1 server\$1)) with (connect \$5 near2 (client\$1 user\$1 device \$3)) and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 10:06
S78	5	(monitor\$3 adj2 (gateway\$1 router\$1)) with (connect\$5 near2 (client\$1 user\$1 device\$3)) and @ad<= "20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 10:08
S79	51	(monitor\$3 adj2 (gateway\$1 router\$1)) with ((client\$1 user\$1 device\$3)) and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 11:16
S80	1	("7058704").PN.	USPAT; USOCR	OR	OFF	2006/07/07 17:25
S81	1	("6,425,012").PN.	USPAT; USOCR	OR	OFF	2006/07/07 17:38
S82	1	("6081830").PN.	USPAT; USOCR	OR	OFF	2006/07/07 17:39
S83	0	("(televisionssamechat\$5) and@ad<=20010911").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/07 17:40
S84	273	(televisions same chat\$5) and @ad<="20010911"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 17:42
S85	1761	(televisions and chat\$5) and @ad<="20010911"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 17:42

S86	169	(televisions with chat\$5) and @ad<="20010911"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 17:49
S87	67	(televisions with chat\$5) and @ad< = "20010911"	US-PGPUB	OR	ON	2006/07/07 17:50
S88	12300	(televisions samw chat\$5) and @ad< = "20010911"	US-PGPUB	OR	ON	2006/07/07 17:50
S89	102	(televisions same chat\$5) and @ad<= "20010911"	US-PGPUB	OR	ON	2006/07/07 17:50
S90	0	(network with monitor\$3) with (tim\$3 near3 logs) and trail\$3 and @ad<= "20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 08:52
S91	97	(network with monitor\$3) and (tim \$3 near3 logs) and trail\$3 and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 08:52
S92	97	(network with monitor\$3) and (time near3 logs) and trail\$3 and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 11:10
S93	0	(network with monitor\$3) same (time near3 logs) and trail\$3 and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 08:52
S94	10	(network with monitor\$3).ab. and trime near3 logs) and trail\$3 and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 10:46
S95	2	("7058704").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 10:46
S96	825	monitor\$ near4 (servers host\$3 agent\$1) and trail\$3 and @ad<= "20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 11:11
S97	249	(monitor\$ near1 (servers host\$3 agent\$1)) and trail\$3 and @ad<= "20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 11:11

S98	65	(monitor\$ near1 (servers host\$3 agent\$1)) and enterpris\$3 and trail\$3 and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 11:11
S99	1	((monitor\$ near1 (servers host\$3 agent\$1))).ab. and enterpris\$3 and trail\$3 and @ad< = "20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 11:12
S100	249	((monitor\$ near1 (servers host\$3 agent\$1))) and trail\$3 and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 11:12
S101	7	((monitor\$ near1 (servers host\$3 agent\$1))).ab. and trail\$3 and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 11:14
S102	31	((monitor\$ near4 (servers host\$3 agent\$1))).ab. and trail\$3 and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/01/09 11:14
S103	16	((monitor\$ near4 (servers host\$3 agent\$1))).ab. and (network with monitor\$3) and trail\$3 and @ad<= "20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 11:15
S104	303	((monitor\$ adj2(servers host\$3 agent\$1))).ab. and (network with monitor\$3) and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 11:16
S105	372	((monitor\$ adj2(servers host\$3 agent\$1) and network)).ab. and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 11:16
S106	220	((monitor\$ adj2(servers) and network)).ab. and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ŌN.	2007/01/09 11:16
S107	2	((monitor\$ adj2(servers) and network)).ab. and (tim\$3 with logs) and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 14:39
S108	38	((monitor\$ with (servers) and network)).ab. and (tim\$3 with logs) and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 12:35

S109	2	("20020120727").FN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 12:35
S110	16221	(monitor\$ with format\$4) and @ad< = "20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 14:39
S111	194	(monitor\$ with format\$4) same (network near2 monitor\$4) and @ad<= "20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 14:39
S112	4	(monitor\$ with format\$4 with filter \$3) same (network near2 monitor \$4) and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 14:52
S113	2	("20020120727").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 14:52
S114	1956	(filter\$3 with (match\$3 correlat \$3) with process\$1) and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 15:45
S115	33	((filter\$3 with (match\$3 correlat \$3) with process\$1) same monitor \$3) and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 15:30
S116	2	("6,405,250").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 15:30
S117	4569	(network with monitor\$3 with (latency time)) and @ad<= "20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 15:46
S118	5	(network with monitor\$3 with (latency time)) and (correction with repair\$3) and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 15:46
S119	343	(request\$3 with monitor\$4 near1 (servers agents))and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 10:48

S120	0	(montor\$3 with enterprise\$3) and (request\$3 with monitor\$4 near1 (servers agents)) and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 10:49
S121	12	(monitor\$3 with enterprise\$3) and (request\$3 with monitor\$4 near1 (servers agents))and @ad<="20010122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 11:38
S122	2	("20030177261").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 12:59
S123	2	("20050144298").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 12:59
S124	0	("JOHNS-WILLIAM-M.in.").PN.	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/22 11:50
S125	1	(JOHNS-WILLIAM-M).in.	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/22 11:51
S126	1	(LINDAU-BRIAN-G).in.	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/22 11:52
S127	1	(LINDAU-BRIAN-G).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/22 11:53
S128	1	(LINDAU-BRIAN-G).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 11:53
S129	1	JOHNS-WILLIAM-M.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/22 11:54

S130	0	("JOHNS-WILLIAM.in.").PN.	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/22 11:55
S131	2	("6090297"). PN.	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/22 12:00

4/22/2009 12:19:58 PM

C:\ Documents and Settings\ Itruong6\ My Documents\ EAST\ Workspaces\ 09765431.wsp